

Auxiliary Means to Improve Motion Guidance Memorability in Extended Reality

Patrick Gebhardt^{1*} Maximilian Weiß^{1†} Pascal Huszár^{1‡} Xingyao Yu^{1§} Alexander Achberger^{2¶}
Xiaobing Zhang^{3||} Michael Sedlmair^{1**}

¹University of Stuttgart, ²Mercedes-Benz AG, ³China Mobile (Jiangxi) Virtual Reality Technology Co., Ltd




Figure 1: Auxiliary visualizations for VR motion guidance systems. (a) Baseline *Streamer* with the thin blue strings, (b) *Enhanced Error Feedback* with colored signaling cones, (c) *Asymptotic Path* gradually guiding the arm back, (d) *Increasing Difficulty* showing higher transparency, (e) *Haptic Constraint* in triangular setup.

ABSTRACT

VR-based motion guidance systems can provide 3D movement instructions and real-time feedback for practicing movement without a live instructor. However, the precise visualization of movement paths or postures may be insufficient to learn a new motor skill, as they might make users too dependent and lead to poor performance when there is no guidance. In this paper, we propose to use enhanced error visualization, asymptotic path, increasing transparency, and haptic constraint to improve the memorability of motion guidance. Our study results indicated that adding an enhanced error feedback visualization helped the users with short-term retention.

Index Terms: Human-centered computing—Visualization—Visualization design and evaluation methods

1 INTRODUCTION

Effective and precise movement instructions are crucial for physical activities, especially for sports exercises, medical rehabilitation, or tasks that need carefully executed motions. Traditionally, the training instructions are done by an on-site train. When the live coach is unavailable, a possible replacement is to use video tutorials. However, the trainee may still practice the movements in the wrong way and even hurt themselves, as video instructions on 2D screens cannot guarantee a complete perception of angle and depth. A promising approach to overcome these hindrances and to improve the perceived motion guidance is the use of extended reality (XR), where instructions can be visualized in 3D and users can freely switch viewpoints to fully understand the movement details.

In existing XR-based motion guidance systems, users can follow precise instructions to practice movements and receive a score based

on the movement errors they made during the practice. However, while practicing movements, the users may gradually rely on precise instructions and hence perform poorly when the guidance is removed [3]. In this work, we explore the possible auxiliary techniques to avoid over-reliance and improve short-term retention of motion guidance, including (1) enhanced error feedback, (2) asymptotic movement path, (3) increasing difficulty during training, and (4) additional haptic constraint. We recruited 32 participants for an exploratory usability test, where we found positive evidence to support the usability of our “enhanced error feedback” approach, and collected design implications for others.

2 SYSTEM DESIGN

The basic motion guidance system based on previous work by Yu et al. [4]. In their *Streamer* guidance, the user’s arm was represented by a simple ball-and-stick model. The instructions of the lower and upper arm are distinguished by different colors (blue & red). The colors of completed parts will be changed to green & yellow to visualize the progress of the movement. Since it is impossible for the user to perfectly follow the pre-recorded motion guidance, there is always a tolerance value during training. When the offset between the user’s arm and the target posture is less than the tolerance, the target posture will be considered complete and switch to the next posture on the movement path. If the user’s arm deviates outside of the tolerance boundary of the target posture, they display blue strings connecting the user’s arm joints and their target positions, which represent the movement errors and also guide the arm back to the path (Fig. 1 a). We designed four different auxiliary approaches to improve the memorability of this basic motion guidance system.

2.1 Enhanced Error Feedback

We attempted to improve memorability by amplifying the mistakes users make. Based on the *Streamer* system, we replaced the thin blue strings with a pair of colored cones. As the user’s arm deviates from its desired path, the cones will change their color from yellow to red, with increasing size. To avoid visual clutter, the new error visualization is only displayed on the wrist, as seen in Fig. 1 b.

2.2 Asymptotic Path

When the user’s arm deviates from the original path, instead of visualizing the blue strings for error amount or guiding-back instructions as in the *Streamer* system, we create a new smooth path between a

*e-mail: st142548@stud.uni-stuttgart.de

†e-mail: st142539@stud.uni-stuttgart.de

‡e-mail: st144276@stud.uni-stuttgart.de

§e-mail: Xingyao.Yu@visus.uni-stuttgart.de

¶e-mail: alexander.achberger@mercedes-benz.com

||e-mail: 13121878185@163.com

**e-mail: michael.sedlmair@visus.uni-stuttgart.de

Table 1: The overview of data including a) system usability, where the usability of *Haptic* was significantly lower than baseline. b) normalized movement error in meters, where the movement error in the *Enhanced Error* condition was lower than baseline. c) movement reproduction in the examination phase, in which 7 out of 8 participants in *Enhanced Error* completely reproduced the movement in the examination phase.

Group	a) System Usability			b) Movement Error (m)				c) Movement Reproduction
	Auxiliary	Baseline	p-value	Auxiliary	Baseline	Difference	p-value	
Enhanced Error	81.6(18.5)	82.8(16.6)	0.375	0.153	0.250	-0.097	0.001	7
Asymptotic	80.3(16.1)	78.8(17.9)	1	0.403	0.368	0.036	0.605	1
Incr. Difficulty	82.2(6.19)	84.7(6.19)	0.306	0.239	0.309	-0.070	0.198	5
Haptic	61.2(26.6)	81.6(14.5)	0.046	0.312	0.279	0.033	0.495	4

future posture on the original path and the current position of the user's arm. Concretely, when the offset of the user's arm exceeds the tolerance, three future poses with fixed time intervals will be selected from the original movement sequence. These poses will be the input to the cubic Bezier equations outputting an asymptotic path that gradually guides the arm back to the original path. We assumed that this method would help the users better memorize and understand the metaphor behind the movement path (Fig. 1 c).

2.3 Increasing Difficulty

Unlike the previous approaches, we add no auxiliary visualization here. Instead, the transparency parameter of the **Streamer** is altered to change the difficulty of following the guidance during the training phase. For instance, fully visible instructions should be presented at the beginning of the training phase. With the number of repetitions increasing, the transparency of the instructions will be altered in steps of 10% until completely invisible, as seen in Fig. 1 d. Also, less visibility means less visual clutter. With this, the user may feel less assisted, distracted, and dependent. We intended to verify whether the increased effort would lead to a better learning effect.

2.4 Haptic Constraint

We also considered introducing haptic feedback as an auxiliary method to improve memorability. Existing work [2] has found that vibration feedback can improve the memorability of 2D motions. Instead of vibration, we used a string-based device, called **Strive** [1], to provide force feedback as haptic constraint during 3D motion guidance. Concretely, we placed three **Strive** modules out of the user's range of movement, forming a triangular structure, and tied the other ends of the strings onto the user's wrist (Fig. 1 e). This triangular setup makes a tubular movement area, which blocks all movements as soon as they exceed the tolerance boundary and deviate too far from the predefined movement path.

3 PRELIMINARY STUDY

To evaluate the usability of our proposed approaches, we conducted an exploratory study in VR involving 32 participants (15 female & 17 male). We divided the participants into four groups; each group corresponded to one of our proposed auxiliary methods and contained 8 participants. In each group, participants were required to fulfill the task in two conditions respectively: one is the corresponding auxiliary techniques (*Enhanced Error*, *Asymptotic*, *Increasing Difficulty*, or *Haptic*) and the other is the *Streamer* system as the baseline. Specifically, the participants were asked to do ten repetitions with the motion guidance system as the **training phase**, followed by one last repetition without any guidance as the **examination phase**. Following the guideline by Yu et al. [4], we designed five different movement sequences with the same difficulty and shuffled them between conditions. We calculated movement error, i.e. the total positional deviation of the wrist and the elbow to the given instructions computed by absolute Euclidean distance. And we normalized the movement error to compare different movement paths. We collected qualitative feedback through surveys containing free text answers and standardized questionnaires including the NASA Task Load

Index and System Usability Scale after each system was tested, and a semi-structured interview after the study.

4 RESULTS

We performed statistical analysis for each group separately. Specifically, we first ran the Shapiro-Wilk test for normality. For post-hoc tests, we performed pairwise t-tests with Bonferroni correction for the normal distributed groups and sign test for the unnormal distributed, as every participant experienced both our assistive techniques and the baseline. We summarized our results in Table 1. The tests reveal no significant difference regarding NASA TLX.

Haptic Constraint Among all system usability results, the only significant difference happened in the *Haptic* condition, which was lower than the baseline ($p=0.046$, as seen in Table 1 a). This may be because of the poor connection of the Bluetooth modules between Strive and the computer where we ran our study. Besides, the participants preferred baseline over this condition because *Haptic* made them "visually free but physically restricted," which is unnatural.

Increasing Difficulty 4 of 8 participants found the increasing transparency more helpful, because "it gradually disappeared, leaving me on my own". However, since we did not set the appropriate step size for increasing transparency, most participants noticed the change only at the last few repetitions. Although there is no significant difference between the movement error of this condition and the baseline during the exam, 5 participants completed the reproduction of movements in the examination phase.

Asymptotic Path Two participants in this group preferred the *asymptotic path* to the baseline. Participants stated that it "felt more natural" and less stressful. However, according to the result of the examination phase, the participants in this condition performed worst at movement reproduction. One participant stated that this visualization "was not as tedious as the baseline, because one does not have to go back to the original path to continue after a deviation".

Enhanced Error Feedback For both the movement error and reproduction in the examination phase, the *Enhanced Error* condition outperformed the other techniques; that is, a significantly lower movement error and 7 out of 8 participants completed the reproduction. R18 indicated that "having the error correction through this color-altered transformable 'rubber band' on the hand helped track small mistakes because they enhanced the visual impact".

5 CONCLUSION

In this work, we proposed four different assistive techniques to improve the memorability of motion guidance in XR. We ran an exploratory study to verify the usability of our methods. According to both the subjective feedback and the participants' examination performance without any guidance, amplifying the users' mistakes during training is the most promising for improving short-term retention. We also noticed the potential of increasing difficulty during training for the same purpose. In the future, we will look more into the mechanics of human memory, and go further on the user study design, e.g. to set more appropriate parameters and evaluate our techniques for long-term retention.

ACKNOWLEDGMENTS

This work is funded by Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) under Germany's Excellence Strategy - EXC 2075 – 390740016. We acknowledge the support by the Stuttgart Center for Simulation Science (SimTech)

REFERENCES

- [1] A. Achberger, F. Aust, D. Pohlandt, K. Vidackovic, and M. Sedlmair. Strive: String-based force feedback for automotive engineering. In *The 34th Annual ACM Symposium on User Interface Software and Technology*, pp. 841–853, 2021.
- [2] K. Bark, E. Hyman, F. Tan, E. Cha, S. A. Jax, L. J. Buxbaum, and K. J. Kuchenbecker. Effects of vibrotactile feedback on human learning of arm motions. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 23(1):51–63, 2014.
- [3] K. Lilija, S. Kyllingsbæk, and K. Hornbæk. Correction of avatar hand movements supports learning of a motor skill. In *2021 IEEE Virtual Reality and 3D User Interfaces (VR)*, pp. 1–8. IEEE, 2021.
- [4] X. Yu, K. Angerbauer, P. Mohr, D. Kalkofen, and M. Sedlmair. Perspective matters: Design implications for motion guidance in mixed reality. In *2020 IEEE International Symposium on Mixed and Augmented Reality (ISMAR)*, pp. 577–587. IEEE, 2020.